

Europäisches Patentamt
European Patent Office
Office européen des brevets



(11) **EP 1 095 959 A2**

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:
02.05.2001 Bulletin 2001/18

(51) Int. Cl.⁷: **C08G 77/42**, C08B 15/05,
A61K 7/00

(21) Application number: **00309298.8**

(22) Date of filing: **23.10.2000**

(84) Designated Contracting States:
**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE**
Designated Extension States:
AL LT LV MK RO SI

(30) Priority: **28.10.1999 JP 30706999**

(71) Applicant:
SHIN-ETSU CHEMICAL CO., LTD.
Chiyoda-ku Tokyo (JP)

(72) Inventors:
• **Ono, Ichiro**
Matsuida-machi, Usui-gun, Gunma-ken (JP)
• **Yamamoto, Akira**
Matsuida-machi, Usui-gun, Gunma-ken (JP)

(74) Representative:
Vinsome, Rex Martin
Urquhart-Dykes & Lord
St Nicholas Chambers
Amen Corner
Newcastle-Upon-Tyne NE1 1PE (GB)

(54) **Cosmetic composition**

(57) Disclosed is a cosmetic composition, such as a cream and anti-perspirant composition, improved in respect of the sustainability of the effect of treatment therewith and excellent feeling of use imparted to the users. The most characteristic ingredient of the inventive cosmetic composition is a silicone-grafted polysaccharide compound having a specified acid value which is a reaction product of a carboxyl-containing polysaccharide compound such as hydroxypropyl methyl cellulose phthalate and a diorganopolysiloxane terminated at a single polymeric molecular chain end with a 2-(3,4-epoxycyclohexyl)ethyl group, preferably, leaving a controlled amount of the carboxyl groups by partial neutralization.

EP 1 095 959 A2

Description

BACKGROUND OF THE INVENTION

5 [0001] The present invention relates to a cosmetic composition which can be prepared in an economical process and capable of giving a quite pleasant feeling of use to the users of the cosmetic composition with sustainability of the effect of cosmetic treatment.

[0002] While it is known that a variety of cosmetic and toiletry compositions are formulated with a film-forming agent, examples of most widely employed film-forming agents include polymeric compounds such as acrylic resins, vinyl resins and polysaccharide compounds. In addition to these polymeric compounds, a class of polymers obtained by grafting an organopolysiloxane to the above mentioned polymeric compounds are highlighted and increasingly employed in recent years as a film-forming agent in cosmetic compositions by virtue of their excellent properties relative to water-repellency, lubricity, stability and so on. Among the film-forming agents of this class, in particular, the organopolysiloxane-grafted polysaccharide compounds, referred to as a silicone-grafted polysaccharide hereinafter, are the most promising in respect of the strength of the film formed therefrom and good adhesion to the surface of the human body treated with the cosmetic composition. A problem in the use of such a silicone-grafted polysaccharide is that the grafting amount of the organopolysiloxane moiety onto the polysaccharide compound is sometimes not high enough as desired because, different from synthetic polymers prepared by the polymerization reaction of a monomeric compound, the polysaccharide compound is a natural product or a semi-synthetic polymer without high reactivity with an organopolysiloxane compound.

[0003] Several methods are known for the grafting reaction of an organopolysiloxane to a polysaccharide compound as disclosed in Japanese Patent Publications 64-8001 and 64-11201, Japanese Patents 071051 and 071084 and Japanese Patent Kokai 7-70204 and 9-136901. The silicone-grafted polysaccharide products obtained by the reaction of these prior art methods, however, are not quite satisfactory as an ingredient in cosmetic compositions in respect of the low content of the grafting moiety of organopolysiloxane even by the use of a catalyst for promoting the grafting reaction as a consequence of the so vast difference in the chemical natures of an organopolysiloxane and a polysaccharide compound as the reactants pertaining to the grafting reaction. This is the principal reason for the relatively few number of formulations of cosmetic compositions in which a silicone-grafted polysaccharide is used as a film-forming agent. In addition, the product of the grafting reaction between an organopolysiloxane and a polysaccharide compound can be used as a film-forming agent in a cosmetic composition only after a complicated purification process to remove the unreacted reactants and the catalyst leading to expensiveness of the silicone-grafted polysaccharides in general.

SUMMARY OF THE INVENTION

35 [0004] The present invention accordingly has an object, in view of the above described problems and disadvantages in the cosmetic compositions formulated with a conventional silicone-grafted polysaccharide as a film-forming agent, to provide a silicone-grafted polysaccharide of a novel type which can be prepared inexpensively by virtue of the high reactivity of the reactants even in the absence of any catalyst to leave little amounts of unreacted reactants necessitating the complicated and expensive purification process as well as to provide a cosmetic composition formulated with such a silicone-grafted polysaccharide capable of exhibiting excellent cosmetic dressing effect and giving a pleasant and comfortable feeling to the users of the cosmetic composition.

[0005] Thus, the silicone-grafted polysaccharide compound provided by the invention and used as an essential ingredient in the inventive cosmetic composition is a reaction product between: (A) a polysaccharide compound having at least one carboxyl group in a molecule and having solubility in an organic solvent, such as hydroxypropyl methyl cellulose phthalate; and (B) a diorganopolysiloxane represented by the general formula



50 in which E is a 3,4-epoxycyclohexyl group, each R is, independently from the others, a monovalent hydrocarbon group having 1 to 10 carbon atoms and the subscript n is a positive integer in the range from 3 to 200, which has an acid value in the range from 10 to 250 mg KOH/g and of which the content of the organopolysiloxane moiety is in the range from 1 to 60% by weight.

[0006] The cosmetic composition provided by the present invention comprises, as a blend:

- 55 (a) from 0.5 to 30.0% by weight of the above defined silicone-grafted polysaccharide; and
 (b) from 0.5 to 99.5% by weight of a compound having, in a molecule, at least one aliphatic hydroxyl group, the balance, if any, being compounds admissible in a cosmetic composition.

[0007] In addition to the above defined essential components (a) and (b), the inventive cosmetic composition is formulated with addition of (c) from 0.5 to 50.0% by weight of an oil compound.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

5

[0008] The silicone-grafted polysaccharide used as the component (a) in the inventive cosmetic composition is a product obtained by the grafting reaction between a polysaccharide compound soluble in an organic solvent and having at least one carboxyl group in a molecule as the reactant (A) and a diorganopolysiloxane terminated at one of the molecular chain ends with a 2-(3,4-epoxycyclohexyl)ethyl group as represented by the general formula (I) given above as the reactant (B).


10

[0009] The grafting reaction for the preparation of the silicone-grafted polysaccharide is a well known reaction between the carboxyl groups of the polysaccharide compound and the epoxy groups at one molecular chain end of the diorganopolysiloxane in an equimolar reaction ratio. When the molar amount of the carboxyl groups is in excess over the molar amount of the epoxy groups in the reaction mixture, accordingly, an amount of the carboxyl groups in the polysaccharide reactant are left unreacted in the reaction product after completion of the reaction giving a possibility of subsequent adjustment of the carboxyl content of the silicone-grafted polysaccharide for the purpose of optimization of the silicone-grafted polysaccharide relative to the solubility in a solvent and adhesion thereof to the human skins and hairs treated with the cosmetic composition.

15

[0010] The silicone-grafted polysaccharide, when used as the component (a) in the cosmetic composition of the invention, should have an acid value in the range from 10 to 250 mg KOH/g and the content of the organopolysiloxane moiety therein should be in the range from 1 to 60% by weight. When the acid value of the silicone-grafted polysaccharide is too low, the cosmetic composition is poorly adhesive to the human skins and hairs treated therewith while, when the acid value is too high, the coating film formed from the component has poor water resistance. When the content of the organopolysiloxane moiety in the silicone-grafted polysaccharide is too low, the coating film cannot exhibit good water resistance and lubricity to be imparted by the organopolysiloxane moiety while, when the content thereof is too high, good coating films can hardly be formed from the grafted polysaccharide adversely affecting the sustainability thereof. The organopolysiloxane moiety here implied is the portion represented by the general formula

25



30

in which each symbol has the same meaning as defined for the general formula (I).

[0011] Examples of the carboxyl-containing polysaccharide compound having solubility in an organic solvent as the reactant (A) include hydroxypropyl methyl cellulose phthalate, hydroxypropyl methyl cellulose acetate succinate, cellulose acetate phthalate, carboxymethyl ethyl cellulose, pullulan acetate phthalate and the like, of which hydroxypropyl methyl cellulose phthalate, hydroxypropyl methyl cellulose acetate succinate and cellulose acetate phthalate are preferable in respect of, in addition to their good availability and inexpensiveness, the safety against human body as is evidenced by their use as an enterosoluble coating agent on various kinds of solid medicament forms authenticated by the pharmacopoeia.

35

[0012] The reactant (B) to be reacted with the above described polysaccharide compound as the reactant (A) is a diorganopolysiloxane terminated at one of the molecular chain ends with a 2-(3,4-epoxycyclohexyl)ethyl group as represented by the general formula (I) given above. The group denoted by R in the general formula is, each independently from the others, a monovalent hydrocarbon group having 1 to 10 carbon atoms exemplified by alkyl groups such as methyl, ethyl, propyl and butyl groups, cycloalkyl groups such as cyclopentyl and cyclohexyl groups, alkenyl groups such as vinyl and allyl groups, aryl groups such as phenyl group and aralkyl groups such as benzyl group as well as halogen-substituted hydrocarbon groups such as chloromethyl and 3,3,3-trifluoropropyl groups.

45

[0013] The subscript n in the general formula is a positive integer in the range from 3 to 200. When the value of n is too small, the compound rarely exhibits the characteristic as a polysiloxane while, when the value of n is too large, the organopolysiloxane has a decreased reactivity with the polysaccharide compound as the reactant (A) necessitating an unduly long reaction time.

50

[0014] Following is a description of the process for the preparation of the silicone-grafted polysaccharide compound which is an essential ingredient in the inventive cosmetic composition.

[0015] It is known in the prior art that a silicone-grafted polysaccharide compound can be prepared by reacting a polysaccharide derivative with a conventional organopolysiloxane compound in a solvent. This method, however, is industrially very disadvantageous and is not practically undertaken in recent years excepting for the cases where the product is intended for use in a very specific application because the process is very complicated including the steps of post-reaction treatment for the removal of the unreacted reactants and catalyst by washing, recovery of the solvent, drying of the product and so on.

55

[0016] In the preparation method of the silicone-grafted polysaccharide compound undertaken in the invention, a

polysaccharide compound having carboxyl groups as one of the reactants is first dissolved in an organic solvent exemplified by ketone solvents such as acetone, methyl ethyl ketone and cyclohexanone and ether solvents such as dioxane and ethyleneglycol monobutyl ether acetate to give a solution into which the diorganopolysiloxane terminated at one of the molecular chain ends with a 2-(3,4-epoxycyclohexyl)ethyl group is added as the other reactant, referred to as an epoxy-terminated silicone hereinafter, to give a reaction mixture. The amount of the epoxy-terminated silicone in the reaction mixture should be such that the molar amount of the epoxy groups introduced thereby is smaller than the molar amount of the carboxyl groups in the polysaccharide compound. The reaction between the epoxy groups and the carboxyl groups proceeds stoichiometrically when the reaction mixture is heated at a temperature in the range from 60 to 200 °C under agitation. The reaction is completed usually within several hours. The reaction product can be separated from the solvent either by evaporation of the solvent from the reaction mixture or by precipitation with admixture of the reaction mixture with an organic poor solvent for the reaction product such as n-hexane.

[0017] Since the silicone-grafted polysaccharide compound as an essential ingredient in the inventive cosmetic composition has unreacted carboxyl groups in the molecule, it is possible to impart the silicone-grafted polysaccharide compound with increased hydrophilicity by neutralizing a part or all of the free carboxyl groups with a basic compound exemplified by alkali metal hydroxides such as sodium hydroxide and potassium hydroxide, ammonia and primary, secondary and tertiary amine compounds such as triethylamine, diisopropylamine, monoethanolamine, triethanolamine, diisopropanolamine, aminomethyl propanol, pyridine, piperidine and morpholine.

[0018] The content of the above described silicone-grafted polysaccharide compound as the component (a) in the inventive cosmetic composition is, though depending on the types of the cosmetic compositions, in the range from 0.5 to 30.0% by weight. When the content is too low, the desired effects of improvements of the water-resistance and sustainability cannot be fully obtained while, when the content thereof is too high, an undesirable increase is caused in the viscosity of the cosmetic composition.

[0019] The other essential ingredient as the component (b) in the inventive cosmetic composition formulated in combination with the component (a) is an organic compound having at least one aliphatic hydroxyl group in a molecule exemplified by ethyl alcohol, propyl alcohol, ethyleneglycol, ethyleneglycol monoalkyl ethers, diethyleneglycol monoalkyl ethers, polyethyleneglycol, propyleneglycol, dipropyleneglycol, 1,3-butyleneglycol, glycerine, diglycerine, polyglycerine, pentaerythritol, saccharose, lactose, xylitol, sorbitol, mannitol, maltitol, carageenan, agar, guar gum, dex-
 30
 35
 40
 45
 50
 55
 60
 65
 70
 75
 80
 85
 90
 95
 100
 105
 110
 115
 120
 125
 130
 135
 140
 145
 150
 155
 160
 165
 170
 175
 180
 185
 190
 195
 200
 205
 210
 215
 220
 225
 230
 235
 240
 245
 250
 255
 260
 265
 270
 275
 280
 285
 290
 295
 300
 305
 310
 315
 320
 325
 330
 335
 340
 345
 350
 355
 360
 365
 370
 375
 380
 385
 390
 395
 400
 405
 410
 415
 420
 425
 430
 435
 440
 445
 450
 455
 460
 465
 470
 475
 480
 485
 490
 495
 500
 505
 510
 515
 520
 525
 530
 535
 540
 545
 550
 555
 560
 565
 570
 575
 580
 585
 590
 595
 600
 605
 610
 615
 620
 625
 630
 635
 640
 645
 650
 655
 660
 665
 670
 675
 680
 685
 690
 695
 700
 705
 710
 715
 720
 725
 730
 735
 740
 745
 750
 755
 760
 765
 770
 775
 780
 785
 790
 795
 800
 805
 810
 815
 820
 825
 830
 835
 840
 845
 850
 855
 860
 865
 870
 875
 880
 885
 890
 895
 900
 905
 910
 915
 920
 925
 930
 935
 940
 945
 950
 955
 960
 965
 970
 975
 980
 985
 990
 995
 1000
 1005
 1010
 1015
 1020
 1025
 1030
 1035
 1040
 1045
 1050
 1055
 1060
 1065
 1070
 1075
 1080
 1085
 1090
 1095
 1100
 1105
 1110
 1115
 1120
 1125
 1130
 1135
 1140
 1145
 1150
 1155
 1160
 1165
 1170
 1175
 1180
 1185
 1190
 1195
 1200
 1205
 1210
 1215
 1220
 1225
 1230
 1235
 1240
 1245
 1250
 1255
 1260
 1265
 1270
 1275
 1280
 1285
 1290
 1295
 1300
 1305
 1310
 1315
 1320
 1325
 1330
 1335
 1340
 1345
 1350
 1355
 1360
 1365
 1370
 1375
 1380
 1385
 1390
 1395
 1400
 1405
 1410
 1415
 1420
 1425
 1430
 1435
 1440
 1445
 1450
 1455
 1460
 1465
 1470
 1475
 1480
 1485
 1490
 1495
 1500
 1505
 1510
 1515
 1520
 1525
 1530
 1535
 1540
 1545
 1550
 1555
 1560
 1565
 1570
 1575
 1580
 1585
 1590
 1595
 1600
 1605
 1610
 1615
 1620
 1625
 1630
 1635
 1640
 1645
 1650
 1655
 1660
 1665
 1670
 1675
 1680
 1685
 1690
 1695
 1700
 1705
 1710
 1715
 1720
 1725
 1730
 1735
 1740
 1745
 1750
 1755
 1760
 1765
 1770
 1775
 1780
 1785
 1790
 1795
 1800
 1805
 1810
 1815
 1820
 1825
 1830
 1835
 1840
 1845
 1850
 1855
 1860
 1865
 1870
 1875
 1880
 1885
 1890
 1895
 1900
 1905
 1910
 1915
 1920
 1925
 1930
 1935
 1940
 1945
 1950
 1955
 1960
 1965
 1970
 1975
 1980
 1985
 1990
 1995
 2000
 2005
 2010
 2015
 2020
 2025
 2030
 2035
 2040
 2045
 2050
 2055
 2060
 2065
 2070
 2075
 2080
 2085
 2090
 2095
 2100
 2105
 2110
 2115
 2120
 2125
 2130
 2135
 2140
 2145
 2150
 2155
 2160
 2165
 2170
 2175
 2180
 2185
 2190
 2195
 2200
 2205
 2210
 2215
 2220
 2225
 2230
 2235
 2240
 2245
 2250
 2255
 2260
 2265
 2270
 2275
 2280
 2285
 2290
 2295
 2300
 2305
 2310
 2315
 2320
 2325
 2330
 2335
 2340
 2345
 2350
 2355
 2360
 2365
 2370
 2375
 2380
 2385
 2390
 2395
 2400
 2405
 2410
 2415
 2420
 2425
 2430
 2435
 2440
 2445
 2450
 2455
 2460
 2465
 2470
 2475
 2480
 2485
 2490
 2495
 2500
 2505
 2510
 2515
 2520
 2525
 2530
 2535
 2540
 2545
 2550
 2555
 2560
 2565
 2570
 2575
 2580
 2585
 2590
 2595
 2600
 2605
 2610
 2615
 2620
 2625
 2630
 2635
 2640
 2645
 2650
 2655
 2660
 2665
 2670
 2675
 2680
 2685
 2690
 2695
 2700
 2705
 2710
 2715
 2720
 2725
 2730
 2735
 2740
 2745
 2750
 2755
 2760
 2765
 2770
 2775
 2780
 2785
 2790
 2795
 2800
 2805
 2810
 2815
 2820
 2825
 2830
 2835
 2840
 2845
 2850
 2855
 2860
 2865
 2870
 2875
 2880
 2885
 2890
 2895
 2900
 2905
 2910
 2915
 2920
 2925
 2930
 2935
 2940
 2945
 2950
 2955
 2960
 2965
 2970
 2975
 2980
 2985
 2990
 2995
 3000
 3005
 3010
 3015
 3020
 3025
 3030
 3035
 3040
 3045
 3050
 3055
 3060
 3065
 3070
 3075
 3080
 3085
 3090
 3095
 3100
 3105
 3110
 3115
 3120
 3125
 3130
 3135
 3140
 3145
 3150
 3155
 3160
 3165
 3170
 3175
 3180
 3185
 3190
 3195
 3200
 3205
 3210
 3215
 3220
 3225
 3230
 3235
 3240
 3245
 3250
 3255
 3260
 3265
 3270
 3275
 3280
 3285
 3290
 3295
 3300
 3305
 3310
 3315
 3320
 3325
 3330
 3335
 3340
 3345
 3350
 3355
 3360
 3365
 3370
 3375
 3380
 3385
 3390
 3395
 3400
 3405
 3410
 3415
 3420
 3425
 3430
 3435
 3440
 3445
 3450
 3455
 3460
 3465
 3470
 3475
 3480
 3485
 3490
 3495
 3500
 3505
 3510
 3515
 3520
 3525
 3530
 3535
 3540
 3545
 3550
 3555
 3560
 3565
 3570
 3575
 3580
 3585
 3590
 3595
 3600
 3605
 3610
 3615
 3620
 3625
 3630
 3635
 3640
 3645
 3650
 3655
 3660
 3665
 3670
 3675
 3680
 3685
 3690
 3695
 3700
 3705
 3710
 3715
 3720
 3725
 3730
 3735
 3740
 3745
 3750
 3755
 3760
 3765
 3770
 3775
 3780
 3785
 3790
 3795
 3800
 3805
 3810
 3815
 3820
 3825
 3830
 3835
 3840
 3845
 3850
 3855
 3860
 3865
 3870
 3875
 3880
 3885
 3890
 3895
 3900
 3905
 3910
 3915
 3920
 3925
 3930
 3935
 3940
 3945
 3950
 3955
 3960
 3965
 3970
 3975
 3980
 3985
 3990
 3995
 4000
 4005
 4010
 4015
 4020
 4025
 4030
 4035
 4040
 4045
 4050
 4055
 4060
 4065
 4070
 4075
 4080
 4085
 4090
 4095
 4100
 4105
 4110
 4115
 4120
 4125
 4130
 4135
 4140
 4145
 4150
 4155
 4160
 4165
 4170
 4175
 4180
 4185
 4190
 4195
 4200
 4205
 4210
 4215
 4220
 4225
 4230
 4235
 4240
 4245
 4250
 4255
 4260
 4265
 4270
 4275
 4280
 4285
 4290
 4295
 4300
 4305
 4310
 4315
 4320
 4325
 4330
 4335
 4340
 4345
 4350
 4355
 4360
 4365
 4370
 4375
 4380
 4385
 4390
 4395
 4400
 4405
 4410
 4415
 4420
 4425
 4430
 4435
 4440
 4445
 4450
 4455
 4460
 4465
 4470
 4475
 4480
 4485
 4490
 4495
 4500
 4505
 4510
 4515
 4520
 4525
 4530
 4535
 4540
 4545
 4550
 4555
 4560
 4565
 4570
 4575
 4580
 4585
 4590
 4595
 4600
 4605
 4610
 4615
 4620
 4625
 4630
 4635
 4640
 4645
 4650
 4655
 4660
 4665
 4670
 4675
 4680
 4685
 4690
 4695
 4700
 4705
 4710
 4715
 4720
 4725
 4730
 4735
 4740
 4745
 4750
 4755
 4760
 4765
 4770
 4775
 4780
 4785
 4790
 4795
 4800
 4805
 4810
 4815
 4820
 4825
 4830
 4835
 4840
 4845
 4850
 4855
 4860
 4865
 4870
 4875
 4880
 4885
 4890
 4895
 4900
 4905
 4910
 4915
 4920
 4925
 4930
 4935
 4940
 4945
 4950
 4955
 4960
 4965
 4970
 4975
 4980
 4985
 4990
 4995
 5000
 5005
 5010
 5015
 5020
 5025
 5030
 5035
 5040
 5045
 5050
 5055
 5060
 5065
 5070
 5075
 5080
 5085
 5090
 5095
 5100
 5105
 5110
 5115
 5120
 5125
 5130
 5135
 5140
 5145
 5150
 5155
 5160
 5165
 5170
 5175
 5180
 5185
 5190
 5195
 5200
 5205
 5210
 5215
 5220
 5225
 5230
 5235
 5240
 5245
 5250
 5255
 5260
 5265
 5270
 5275
 5280
 5285
 5290
 5295
 5300
 5305
 5310
 5315
 5320
 5325
 5330
 5335
 5340
 5345
 5350
 5355
 5360
 5365
 5370
 5375
 5380
 5385
 5390
 5395
 5400
 5405
 5410
 5415
 5420
 5425
 5430
 5435
 5440
 5445
 5450
 5455
 5460
 5465
 5470
 5475
 5480
 5485
 5490
 5495
 5500
 5505
 5510
 5515
 5520
 5525
 5530
 5535
 5540
 5545
 5550
 5555
 5560
 5565
 5570
 5575
 5580
 5585
 5590
 5595
 5600
 5605
 5610
 5615
 5620
 5625
 5630
 5635
 5640
 5645
 5650
 5655
 5660
 5665
 5670
 5675
 5680
 5685
 5690
 5695
 5700
 5705
 5710
 5715
 5720
 5725
 5730
 5735
 5740
 5745
 5750
 5755
 5760
 5765
 5770
 5775
 5780
 5785
 5790
 5795
 5800
 5805
 5810
 5815
 5820
 5825
 5830
 5835
 5840
 5845
 5850
 5855
 5860
 5865
 5870
 5875
 5880
 5885
 5890
 5895
 5900
 5905
 5910
 5915
 5920
 5925
 5930
 5935
 5940
 5945
 5950
 5955
 5960
 5965
 5970
 5975
 5980
 5985
 5990
 5995
 6000
 6005
 6010
 6015
 6020
 6025
 6030
 6035
 6040
 6045
 6050
 6055
 6060
 6065
 6070
 6075
 6080
 6085
 6090
 6095
 6100
 6105
 6110
 6115
 6120
 6125
 6130
 6135
 6140
 6145
 6150
 6155
 6160
 6165
 6170
 6175
 6180
 6185
 6190
 6195
 6200
 6205
 6210
 6215
 6220
 6225
 6230
 6235
 6240
 6245
 6250
 6255
 6260
 6265
 6270
 6275
 6280
 6285
 6290
 6295
 6300
 6305
 6310
 6315
 6320
 6325
 6330
 6335
 6340
 6345
 6350
 6355
 6360
 6365
 6370
 6375
 6380
 6385
 6390
 6395
 6400
 6405
 6410
 6415
 6420
 6425
 6430
 6435
 6440
 6445
 6450
 6455
 6460
 6465
 6470
 6475
 6480
 6485
 6490
 6495
 6500
 6505
 6510
 6515

octyldodecanol, sedostearyl alcohol, 2-decyltetradecynol, cholesterol, phytosterol, POE cholesterol ether, monostearyl glycerin ether and monooleyl glycerin ether.

[0027] Examples of ester oils as a fifth class of the oil compounds include diisobutyl adipate, 2-hexyldecyl adipate, di-2-heptylundecyl adipate, N-alkylglycol monoisostearate, isocetyl isostearate, trimethylolpropane triisostearate, ethyleneglycol di-2-ethylhexanoate, neopentylglycol di-2-ethyl hexanoate, cetyl 2-ethylhexanoate, trimethylol propane tri-2-ethyl hexanoate, pentaerythritol tetra-2-ethyl hexanoate, cetyl octanoate, octyldodecyl gum ester, oleyl oleate, octyldodecyl oleate, decyl oleate, neopentylglycol dicaprate, triethyl citrate, 2-ethylhexyl succinate, ethyl acetate, isocetyl stearate, butyl stearate, diisopropyl sebacate, di-2-ethylhexyl sebacate, cetyl lactate, myristyl lactate, isopropyl palmitate, 2-ethylhexyl palmitate, 2-hexyldecyl palmitate, 2-heptylundecyl palmitate, cholesterol 12-hydroxystearate, dipentaerythritol fatty acid esters, isopropyl myristate, 2-octyldecyl myristate, 2-hexyldecyl myristate, myristyl myristate, hexyldecyl dimethyloctanoate, ethyl laurate, hexyl laurate, 2-octyldecyl N-lauroyl-L-glutamate, diisostearyl malate, dextrin palmitic acid ester, dextrin stearic acid esters, dextrin 2-ethylhexanoic acid palmitic acid mixed ester, saccharose palmitic acid ester and saccharose stearic acid esters.

[0028] Examples of glyceride oils as a sixth class of the oil compounds include acetoglycerol, glycerol diisooctanoate, glycerol triisostearate, glycerol triisopalmitate, glycerol tri-2-ethylhexanoate, glycerol monostearate, glycerol di-2-heptylundecanoate and glycerol trimyristate.

[0029] Examples of silicone oils as a seventh class of the oil compounds include dimethylpolysiloxane oils, methylphenylpolysiloxane oils, methylhydrogenpolysiloxane oils, octamethyl cyclotetrasiloxane, decamethyl cyclopentasiloxane, dodecamethyl cyclohexasiloxane, tetrahydrotetramethyl cyclotetrasiloxane, higher alcohol-modified silicone oils such as stearoxy silicone oils, higher fatty acid-modified silicone oils, fluorine-modified silicone oils, amino-modified silicone oils, alkyl-modified silicone oils, higher fatty acid ester-modified silicone oils, silicone resins and silicone rubbers.

[0030] Examples of fluorocarbon oils as an eighth class of the oil compounds include perfluoro polyethers, perfluoro decahydronaphthalene and perfluorooctane.

[0031] The above described various kinds of oil compounds can be used either singly or as a combination of two kinds or more, if compatible. The content of the oil compounds as the component (c) in the inventive cosmetic composition is, if added, in the range from 0.5 to 50.0% by weight.

[0032] The cosmetic composition of the invention, of which the essential ingredients are the components (a) and (b), may contain water or can be a water-base cosmetic composition. The content of water as the component (d) in this case is in the range from 0.5 to 99.0% by weight provided that good solubility of the components (a) and (b) can be ensured.

[0033] While the cosmetic composition of the invention can be formulated with the components (a) and (b) alone optionally in combination with an oil compound as the component (c) and/or water as the component (d), it is further optional that the cosmetic composition comprises a powder or pigment as the component (e), surface active agent as the component (f), crosslinked organopolysiloxane as the component (g) and/or silicone resin as the component (h).

[0034] Examples of inorganic powders as a first class of the component (e) include titanium dioxide, zirconium oxide, zinc oxide, cerium oxide, magnesium oxide, barium sulfate, calcium sulfate, magnesium sulfate, calcium carbonate, magnesium carbonate, talc, mica, kaolin, sericite, muscovite, synthetic mica, phlogopite, lepidolite, biotite, lithia mica, silicic acid, silica, aluminum silicate, magnesium silicate, aluminum magnesium silicate, calcium silicate, barium silicate, strontium silicate, metal tungstates, hydroxyapatite, vermiculite, heidilite, bentonite, montmorillonite, hectolite, zeolite, ceramic powders, calcium monohydrogenphosphate, alumina, aluminum hydroxide and boron nitride.

[0035] Examples of organic powders as a second class of the component (e) include powders of polyamide resin, polyester resin, polyethylene, polypropylene, polystyrene, polyurethane resin, benzoguanamine resin, polymethylbenzoguanamine resin, polytetrafluoroethylene resin, polymethyl methacrylate resin, cellulose, silk, nylon resin, 12-nylon resin, 6-nylon resin, styrene/acrylic acid-copolymeric resin, divinylbenzene/styrene-copolymeric resin, polyvinyl chloride resin, urea resin, phenolic resin, fluorocarbon resin, silicone resin, acrylic resin, melamine resin, epoxy resin, polycarbonate resin, microcrystalline cellulose, starch, lauroyl lysine and metal soaps such as zinc stearate, aluminum stearate, calcium stearate, magnesium stearate, zinc myristate, magnesium myristate, zinc cetylphosphate, calcium cetylphosphate and zinc sodium cetylphosphate.

[0036] Examples of pigments as a third class of the component (e) include inorganic red pigments such as iron oxide, iron hydroxide and iron titanate, inorganic brown pigments such as γ -iron oxide, inorganic yellow pigments such as yellow iron oxide and Chinese yellow, inorganic black pigments such as black iron oxide and carbon black, inorganic violet pigments such as manganese violet and cobalt violet, inorganic green pigments such as chromium hydroxide, chromium oxide and cobalt titanate, inorganic blue pigments such as Prussian blue and ultramarine, tar-based dyes converted into a lake, natural dyes converted into a lake, composites of these powders, pearlescent pigments such as titanium dioxide-coated mica, bismuth oxychloride, titanium dioxide-coated bismuth oxychloride, titanium dioxide-coated talc, fish scale flakes and titanium dioxide-coated colored micas and tar dyes such as Red #3, Red #104, Red #106, Red #201, Red #202, Red #204, Red #205, Red #220, Red #226, Red #227, Red #228, Red #230, Red #230, Red #401, Red #505, Yellow #4, Yellow #5, Yellow #202, Yellow #204, Yellow #5, Yellow #401, Blue #1, Blue #2, Blue #201, Blue

#404, Green #3, Green #201, Green #204, Green #205, Orange #201, Orange #203, Orange #204, Orange #206 and Orange #207 and natural dyes such as carminic acid, laccaic acid, brazillin and crocin.

[0037] These particulate materials and pigments are not particularly limitative in the particle configuration including spherical or globular particles, needle-formed particles and platelet particles and also not limitative in the particle size. Composites of two or more kinds thereof can be used. It is optional that the powder is used after a surface treatment with an oil agent, silicone oil and fluorocarbon compound.

[0038] Various kinds of surface active agents can be used as the component (f) in the inventive cosmetic composition. Examples of suitable surface active agents include carboxylic acid salts such as saturated and unsaturated fatty acid soaps, e.g., sodium stearate and triethanolamine oleate, alkyl ether carboxylic acids and salts thereof and condensation products of an amino acid and fatty acid, amido ether carboxylic acid salts, α -sulfo fatty acid ester salts, α -acylsulfonic acids, alkylsulfonic acids, alkenesulfonic acid salts, sulfonic acid salts of fatty acid esters, sulfonic acid salts of fatty acid amides, sulfonic acid salts of a formalin condensation product with an alkylsulfonic acid salt, alkyl sulfate esters, secondary alcohol sulfate esters, alkyl and aryl ether sulfate esters, sulfate esters of fatty acid esters and sulfate ether phosphates, alkylamide phosphates and N-acylamino acid-based active agents, cationic surface active agents exemplified by amine salts such as alkylamine salts, polyamine and aminoalcohol fatty acid derivatives, alkyl quaternary ammonium salts, aromatic quaternary ammonium salts, pyridinium salts and imidazolinium salts, non-ionic surface active agents exemplified by sorbitan fatty acid esters, glycerin fatty acid esters, polyglycerin fatty acid esters, propyleneglycol fatty acid esters, polyethyleneglycol fatty acid esters, saccharose fatty acid esters, polyoxyethylene alkyl ethers, polyoxypropylene alkyl ethers, polyoxyethylene alkylphenyl ethers, polyoxyethylene fatty acid esters, polyoxyethylene sorbitan fatty acid esters, polyoxyethylene glycerin fatty acid esters, polyoxyethylene propyleneglycol fatty acid esters, polyoxyethylene castor oils, polyoxyethylene hardened castor oils, polyoxyethylene phytostannol ethers, polyoxyethylene phytosterol ethers, polyoxyethylene cholesterol ethers, polyoxyalkylene-modified organopolysiloxanes, polyoxyalkylene/alkyl-comodified organopolysiloxanes, polyoxyalkylene/fluoroalkyl-comodified organopolysiloxanes, polyoxyalkylene-organopolysiloxane block copolymers, alkanolamides, sugar ethers and sugar amides, and amphoteric surface active agents exemplified by betaine compounds, aminocarboxylates and imidazoline derivatives.

[0039] Further classes of optional additives include crosslinked organopolysiloxanes as the component (g) and silicone resins such as acrylic/silicone graft or block copolymers and three-dimensional silicones as the component (h).

[0040] Actual application types of the inventive cosmetic compositions include skincare compositions, hair-care treatment compositions, antiperspirant compositions, makeup compositions, anti-ultraviolet compositions, nail polish compositions and so on without particular limitations. The preparation forms of the inventive cosmetic compositions can be solutions, milky lotions, creams, solids, pastes, gels, powders, laminates, mousses and aerosol sprays.

[0041] In the following, the present invention is described in more detail by way of examples for the synthetic preparation procedure of the silicone-grafted polysaccharide compounds and formulations of several cosmetic compositions containing the silicone-grafted polysaccharide compound.

Synthetic Preparation 1.

[0042] Into a glass flask equipped with a stirrer, thermometer and reflux condenser were introduced 75 g of a hydroxypropyl methyl cellulose phthalate (HPMCP) containing 33.4% by weight of benzoyl groups (HP-55, a product by Shin-Etsu Chemical Co.) to give 168.2 mmoles of carboxyl groups, 25 g of an epoxy-terminated dimethylpolysiloxane expressed by the formula



In which E is a 3,4-epoxycyclohexyl group and Me is a methyl group, containing 11.0 mmoles of epoxy groups corresponding to an epoxy equivalent of 2.270 g/mole and 400 g of cyclohexanone to give a uniform reaction mixture which was heated with agitation at 150 °C for 5 hours under a stream of nitrogen gas to give a slightly cloudy, light yellow liquid.

[0043] The reaction mixture obtained above was cooled down to 30 °C and admixed under agitation with 1 liter of n-hexane to precipitate a polymeric product which was collected by filtration and vacuum-dried at 100 °C for 3 hours to give 92 g of a light yellow powder as a dried product having an acid value of 88.5 mg KOH/g.

[0044] An infrared absorption spectrophotometric analysis was undertaken for this powder product to give absorption bands originating in dimethylpolysiloxane at 1262 cm^{-1} assignable to Si-CH₃, at 1071 cm^{-1} and 1123 cm^{-1} assignable to Si-O-Si and at 801 cm^{-1} assignable to (CH₃)₂-Si-O, in addition to the characteristic absorption bands originating in the hydroxypropyl methyl cellulose phthalate.

[0045] Further, the product was subjected to quantitative determination of the carboxybenzoyl groups by the method specified in Japanese Pharmacopoeia for HPMCP to give a value of 23.5% by weight indicating that the reac-

tion was substantially quantitative. The content of the organopolysiloxane moiety in the product was 24.5% by weight as calculated from the yield of the product.

Synthetic Preparation 2.

5

[0046] The synthetic procedure was substantially the same as in Synthetic Preparation 1 described above except that the amount of the hydroxypropyl methyl cellulose phthalate was decreased from 75 g to 50 g to give 112.1 mmoles of carboxyl groups and the amount of the epoxy-terminated dimethylpolysiloxane was increased from 25 g to 50 g to give 22.0 mmoles of the epoxy groups. The yield of the light yellow powder product was 91 g, which had an acid value

10

of 51.2 mg KOH/g.
[0047] An infrared absorption spectrophotometric analysis was undertaken for this powder product to give absorption bands originating in dimethylpolysiloxane at 1264 cm^{-1} assignable to Si-CH₃, at 1073 cm^{-1} and 1125 cm^{-1} assignable to Si-O-Si and at 801 cm^{-1} assignable to (CH₃)₂-Si-O, in addition to the characteristic absorption bands originating in the hydroxypropyl methyl cellulose phthalate.

15

[0048] Further, the product was subjected to quantitative determination of the carboxybenzoyl groups by the method specified in Japanese Pharmacopoeia for HPMCP to give a value of 13.6% by weight indicating that the reaction was substantially quantitative. The content of the organopolysiloxane moiety in the product was 49.5% by weight as calculated from the yield of the product.

20

Synthetic Preparation 3.

[0049] The synthetic procedure was substantially the same as in Synthetic Preparation 1 described above except that the hydroxypropyl methyl cellulose phthalate was replaced with the same amount of a hydroxypropyl methyl cellulose acetate succinate (AS-LG, a product by Shin-Etsu Chemical Co.) containing 15.6% by weight of the succinoyl groups to give 115.6 mmoles of carboxyl groups. The yield of the light yellow powder product was 93 g, which had an acid value of 60.0 mg KOH/g.

25

[0050] An infrared absorption spectrophotometric analysis was undertaken for this powder product to give absorption bands originating in dimethylpolysiloxane at 1238 cm^{-1} assignable to Si-CH₃, at 1057 cm^{-1} and 1122 cm^{-1} assignable to Si-O-Si and at 803 cm^{-1} assignable to (CH₃)₂-Si-O, in addition to the characteristic absorption bands originating in the hydroxypropyl methyl cellulose acetate succinate.

30

[0051] Further, the product was subjected to quantitative determination of the succinoyl groups to give a value of 10.8% by weight indicating that the reaction was substantially quantitative. The content of the organopolysiloxane moiety in the product was 23.8% by weight as calculated from the yield of the product.

35

Synthetic Preparation 4.

[0052] A partial neutralization product of the silicone-grafted polysaccharide compound obtained in Synthetic Preparation 1 was prepared in the following manner. Thus, 50 parts by weight of the light yellow powder product of Synthetic Preparation 1 were dissolved in 50 parts by weight of a 1:9 by weight mixture of water and ethyl alcohol and the solution was admixed with 4.5 parts by weight of a 50% aqueous solution of potassium hydroxide under agitation so that 50% of the free carboxyl groups in the starting silicone-grafted HPMCP were neutralized.

40

Synthetic Preparation 5.

[0053] The same partial neutralization procedure as in Synthetic Preparation 4 was undertaken excepting for the replacement of 4.5 parts by weight of the 50% aqueous potassium hydroxide solution with 3.5 parts by weight of 2-amino-2-methyl-1-propanol to neutralize 50% of the carboxyl groups in the starting graft polymer.

45

Synthetic Preparation 6.

50

[0054] A 50% neutralization product of the silicone-grafted polysaccharide compound obtained in Synthetic Preparation 2 was prepared in the following manner. Thus, 50 parts by weight of the light yellow powder product of Synthetic Preparation 2 were dissolved in 50 parts by weight of a 1:9 by weight mixture of water and ethyl alcohol and the solution was admixed with 2.5 parts by weight of a 50% aqueous solution of potassium hydroxide under agitation so that 50% of the free carboxyl groups in the starting silicone-grafted HPMCP were neutralized.

55

Example 1.

[0055] A skincare cream composition was prepared in the following formulation.

5

10

15

20

25

Ingredient	% by weight
(1) Stearic acid	2.0
(2) Cetanol	1.0
(3) Squalane	10.0
(4) Stearic acid monoglyceride	2.0
(5) Jojoba oil	5.0
(6) Olive oil	5.0
(7) Dimethylsilicone oil, 200 cS	5.0
(8) Sorbitan sesquioleate	1.0
(9) Polyoxyethylene sorbitan monooleate	2.0
(10) 1,3-Butyleneglycol	7.0
(11) Silicone-grafted polysaccharide ¹⁾	7.0
(12) Triethanolamine	1.0
(13) Purified water	balance

1) Synthetic Preparation 1

30 **[0056]** The steps of the preparation procedure were as follows.

A: Ingredients (1) to (8) were melted together with heating.

B: Ingredients (9), (11) and (12) were dissolved together in (10).

C: The mixture A was admixed with the solution B to effect emulsification.

35 D: Emulsified mixture C was cooled to room temperature.

[0057] The thus prepared skincare cream composition was subjected to an organoleptic evaluation test by 20 female expert panel members for six testing items including: (1) smoothness in application to their skin; (2) non-stickiness of the treated skin; (3) smoothness of the treated skin surface; (4) refreshingness of the treated skin; (5) sustainability of the coating film; and (6) overall evaluation.

40 **[0058]** Each of the panel members was requested to give an evaluation point of 1 to 5 for each of these testing items under the criteria of: 5 points (excellent), 4 points (good), 3 points (fair), 2 points (somewhat poor) and 1 point (poor) and the evaluation points given by the 20 panel members were averaged for each testing item to give the results in four ratings of A, B, C and D as shown in Table 1 below in which rating A was given for at least 4.0 of the averaged evaluation points, B was given for at least 3.0 of the averaged evaluation points, C was given for at least 2.0 of the averaged evaluation points and D was given when the averaged evaluation point was smaller than 2.0.

45 **[0059]** The results of the thus performed organoleptic evaluation tests are shown in Table 1 below.

Comparative Example 1.

50

[0060] The formulation and preparation procedure for a skincare cream composition were substantially the same as in Example 1 excepting for the omission of the silicone-grafted polysaccharide compound and a corresponding increase in the amount of the purified water.

55 **[0061]** The results of the organoleptic evaluation tests of this comparative cream composition are shown in Table 1 below.

Table 1

Testing Item	Example 1	Comparative Example 1
(1)	B	B
(2)	A	C
(3)	A	B
(4)	A	C
(5)	A	D
(6)	A	C

Example 2.

[0062] A cream rinse composition was prepared in the following formulation.

Ingredient	% by weight
(1) Alkyl trimethylammonium chloride	2.0
(2) Cetanol	3.0
(3) Octyl palmitate	1.0
(4) Crosslinked organopolysiloxane ²⁾	2.0
(5) Propyleneglycol	5.0
(6) Silicone-grafted polysaccharide ³⁾	2.0
(7) Purified water	balance

²⁾ KSG 16, a product by Shin-Etsu Chemical Co.

³⁾ Synthetic Preparation 5

[0063] The steps of the preparation procedure were as follows.

A: Ingredients (1) and (5) to (7) were melted together by heating.

B: Ingredients (2) to (4) were melted together by heating and the mixture was added to A.

C: The mixture B was cooled to room temperature.

[0064] The thus prepared cream rinse composition was subjected to an organoleptic evaluation test by 20 female expert panel members for 5 testing items including: (1) smoothness in application; (2) smoothness or lubricity of hair after drying; (3) dry and non-sticky touch of treated hair; (4) refreshing feeling; and (5) overall evaluation.

[0065] The results of the organoleptic evaluation tests of this cream rinse composition reported under the same criteria as in Example 1 are shown in Table 2 below.

Comparative Example 2.

[0066] The formulation and preparation procedure for a cream rinse composition were substantially the same as in Example 2 excepting for the omission of the silicone-grafted polysaccharide compound and a corresponding increase in the amount of the purified water.

[0067] The results of the organoleptic evaluation tests of this comparative cream rinse composition are shown in Table 2 below.

Table 2

Testing Item	Example 2	Comparative Example 2
(1)	B	B
(2)	A	B
(3)	A	B
(4)	A	B
(5)	A	B

Example 3.

[0068] An anti-perspirant composition was prepared in the following formulation.

Ingredient	% by weight
(1) Polyoxyethylene organopolysiloxane ⁴⁾	0.5
(2) Aluminum chlorohydroxide	3.0
(3) Talc	5.0
(4) Silicone-grafted polysaccharide ⁵⁾	10.0
(5) Ethyl alcohol	15.0
(6) Hydroxyethylcellulose	2.0
(7) Purified water	balance

4) KF 6011, a product by Shin-Etsu Chemical Co.

5) Synthetic Preparation 4

[0069] The steps of the preparation procedure were as follows.

A: Ingredients (1) to (7) were mixed together.

B: A roll-on cartridge was filled with the mixture A.

Example 4.

[0070] A cream foundation composition was prepared in the following formulation.

Ingredient	% by weight
(1) Crosslinked dimethylpolysiloxane ⁶⁾	7.0
(2) Glycerin trioctanoate	3.0
(3) Dimethyl silicone oil, 6 cS	8.0
(4) Silicone powder ⁷⁾	1.0
(5) Sodium chloride	0.5
(6) 1,3-Butyleneglycol	7.0
(7) Ethyl alcohol	4.0
(8) Silicone-grafted polysaccharide ⁸⁾	16.0
(9) Pigments	q.s.
(10) Silicone-grafted acrylic polymer ⁹⁾	5.0
(11) Purified water	balance

6) KSG 21, a product by Shin-Etsu Chemical Co.

7) KSP 100, a product by Shin-Etsu Chemical Co.

8) Synthetic Preparation 6

9) KP 545, a product by Shin-Etsu Chemical Co.

[0071] The steps of the preparation procedure were as follows.

A: Ingredients (1) to (4) were mixed together.

B: Ingredients (5) to (8) and (11) as a mixture were added to the mixture A.

C: Ingredients (9) and (10) as a mixture were added to the mixture B.

[0072] The thus prepared anti-perspirant composition could be applied to the skin without stickiness and with good spreadability and exhibited excellent non-stickiness and refreshingness of the treated skin and sustainability of cosmetic finish.

Example 5.

[0073] An anti-ultraviolet cream composition was prepared in the following formulation.

Ingredient	% by weight
(1) Fine powder of silicone-treated zinc oxide	10.0
(2) Fine powder of silicone-treated titanium dioxide	10.0
(3) Trimethylsiloxy silicate ¹⁰⁾	8.0
(4) Decamethyl cyclopentasiloxane	20.0
(5) Glycerin trioctanoate	5.0
(6) Crosslinked methylpolysiloxane ¹¹⁾	5.0
(7) Polyoxyethylene/alkyl-comodified silicone ¹²⁾	1.0
(8) Octyl 4-methoxycinnamate	5.0
(9) Silicone-grafted polysaccharide ¹³⁾	15.0
(10) Sodium chloride	0.5
(11) Ethyl alcohol	5.0
(12) Purified water	balance

10) KF 7312J, a product by Shin-Etsu Chemical Co.

11) KSG 21, a product by Shin-Etsu Chemical Co.

12) KF 6026, a product by Shin-Etsu Chemical Co.

13) Synthetic Preparation 4

[0074] The steps of the preparation procedure were as follows.

A: Ingredients (5) to (8) were mixed with a 1/4 portion of (4).

B:; Ingredients (9) to (12) as a mixture were added to the mixture A.

C: Ingredients (1) to (3) and remainder of (4) as a mixture were added to the mixture A.

D: Mixture C was added to B.

[0075] The thus prepared anti-ultraviolet cream composition could be applied to the skin without stickiness and with good spreadability and exhibited excellent non-stickiness and refreshingness of the treated skin and sustainability of cosmetic finish.

Example 6.

[0076] A nail polish composition was prepared in the following formulation.

Ingredient	% by weight
(1) Silicone-grafted polysaccharide ¹⁴⁾	20.0
(2) Propyleneglycol	3.0
(3) Ethyl alcohol	70.0
(4) Pigments, hydrophilized with POE	q.s.
(5) Purified water	balance

14) Synthetic Preparation 5

[0077] The nail polish composition was prepared by dispersing the pigments in the mixture of the other ingredients. The thus prepared nail polish composition could exhibit excellent glossiness without using an aromatic or ester solvent

such as toluene, ethyl acetate and butyl acetate giving a coating film of high hardness.

Example 7.

5 [0078] A hair setting composition was prepared in the following formulation.

Ingredient	% by weight
(1) Silicone-grafted polysaccharide ¹⁵⁾	10.0
(2) 1,3-Butyleneglycol	2.0
(3) Ethyl alcohol	80.0
(4) Purified water	balance

15) Synthetic Preparation 5

20 [0079] A hair setting composition was prepared by blending the above listed ingredients and an aerosol spray can was filled with the composition together with a propellant therefor. The hair setting composition was found excellent in respect of sustainability of the hair-setting effect as well as in respect of the glossiness of the treated hair and touch feeling thereof.

Claims

25 1. A silicone-grafted polysaccharide compound which is a reaction product between (A) a polysaccharide compound having at least one carboxyl group in a molecule and having solubility in an organic solvent and (B) a diorganopolysiloxane represented by the general formula



in which E is a 3,4-epoxycyclohexyl group, each R is, independently from the others, a monovalent hydrocarbon group having 1 to 10 carbon atoms and the subscript n is a positive integer in the range from 3 to 200, having an acid value in the range from 10 to 250 mg KOH/g and containing from 1 to 60% by weight of the diorganopolysiloxane moiety.

35 2. The silicone-grafted polysaccharide compound as claimed in claim 1 in which the polysaccharide compound as the reactant (A) is selected from the group consisting of hydroxypropyl methyl cellulose phthalate, hydroxypropyl methyl cellulose acetate succinate, cellulose acetate phthalate, carboxymethyl ethyl cellulose and pullulan acetate.

40 3. A cosmetic composition which comprises, as a blend:

45 (a) from 0.5 to 30.0% by weight of the silicone-grafted polysaccharide compound defined in claim 1; and
(b) from 0.5 to 99.5% by weight of an organic compound having, in a molecule, at least one aliphatic hydroxyl group,
the balance, if any, being compounds admissible in a cosmetic composition.

50 4. The cosmetic composition as claimed in claim 3 in which the balance to the components (a) and (b) comprises;
(c) from 0.5 to 50.0% by weight of an oil compound.

5. The cosmetic composition as claimed in claim 3 in which the balance to the components (a) and (b) comprises;
(d) from 0.5 to 99.0% by weight of water.

55 6. The cosmetic composition as claimed in claim 3 in which at least a part of the carboxyl groups in the silicone-grafted polysaccharide compound as the component (a) are in the form of a salt formed by neutralization with a basic compound.

7. The cosmetic composition as claimed in claim 3 in which the organic compound as the component (b) is an

aliphatic alcohol compound at least partly soluble in water.

8. The cosmetic composition as claimed in claim 3 in which the organic compound as the component (b) is a poly-
meric compound having hydroxyl groups and soluble in water.
- 5 9. The cosmetic composition as claimed in claim 4 in which the oil compound as the component (c) is in the form of
liquid at room temperature.
10. The cosmetic composition as claimed in claim 4 in which the oil compound as the component (c) is a silicone oil.
- 10 11. The cosmetic composition as claimed in claim 3 in which the balance to the components (a) and (b) comprises:
(e) a particulate material.
12. The cosmetic composition as claimed in claim 3 in which the balance to the components (a) and (b) comprises:
15 (f) a surface active agent.
13. The cosmetic composition as claimed in claim 3 in which the balance to the components (a) and (b) comprises:
(g) a crosslinked organopolysiloxane.
- 20 14. The cosmetic composition as claimed in claim 3 in which the balance to the components (a) and (b) comprises:
(h) a graft copolymer or block copolymer consisting of an acrylic moiety and organopolysiloxane moiety.

25

30

35

40

45

50

55